

AN ISO 9001 CERTIFIED
COMPANY



LAXINA

PHARMA PRIVATE LIMITED

Sign of Trust



AVIAN



Head Office : 10, Shubh Atika, Hatkesh Udyog Nagar, Mira Road (E) Thane- 401107.

Tel: +91 9702773035

Email: info@laxinapharma.com | Website: www.laxinapharma.com

INTAMICIN PLUS

Gentamicin Sulphate Injection I.P.

Composition:

Each 2 ml. Contains:
Gentamicin Sulphate I.P.
Eq. to Gentamicin 80 mg
Methyl Paraben I.P. 0.15% w/v
Propyl Paraben I.P. 0.02 % w/v

Dosage :

As directed by the Veterinarian

Presentation:
50 ml & 100 ml.

Indications:

Gentamicin is indicated for the treatment of a variety of susceptible bacterial infections in swine, poultry, bovines and equines (eg., colibacillosis and peritonitis in swine; for mastitis, urinary tract disease, respiratory disease and septicemia in bovines) Dosage:



LP-TYLO 20%

Tylosin Tartrate Injection 20% I.P (Vet.)

Exceptional Treatment Against Respiratory Infections

Composition:

Each ml contains:
Tylosin Tartrate I.P.(Vet)
Equivalent to Tylosin 200 mg.

Dosage :

As directed by the Veterinarian

Presentation:
50 ml & 100 ml.

Indications:

Tylosin Tartrate is effective against a large number of causative of disease (Streptococci, Corynebacteria, Pasteurella Antrax and Erysipelas, Bacillus & other) It is particularly effective against mycoplasma galisepticum (CDR), The drug is well absorbed from the digestive tract. Tylosin is very effective in the treatment of the chronic Respiratory Disease.



The GOLDEN Shot For all infection

L-CEF

Ceftriaxone - 3gm & 4gm for injection Vet.

Composition :

Each Vial contains:
Ceftriaxone Sodium I.P. equivalent to
Ceftriaxone 4000mg

Dosage

As directed by the Veterinarian

Presentation :
3 gm & 4 gm:

Benefits :

1. Effective treatment to combat ESBL
2. Producing E.coli infections
3. Chronic respiratory disease



Amosafe-P

Amoxicillin 50%

Composition :

Composition :- Amoxicillin Powder 50% W/W (vet)

Indication :-

1. Amosafe-P intervals should be effective in treating a variety of systemic infections in poultry.
2. E.coli
3. Chronic respiratory disease
4. Colibacillosis
5. Wingrot, Necrotic enteritis

Dosage :-

10mg per kg of body weight - I.V. or Orally
For Prophylactic Use :- 1gm / 10 ltr of water - 3-5 days
For Therapeutic Use :- 1gm / 5 ltr of water - 5-7 days

Presentation :

250 gm & 500 gm



ENROLAX - 20%

An Ideal Supportive Therapy

The Quality You Can Trust

Composition:

Each ml Contains:
Enrofloxacin 200 mg

Indications:

- ◆ Respiratory tract infection.
- ◆ Urinary tract infection.
- ◆ Gastrointestinal tract infection
- ◆ Musculoskeletal affections (Bone & Joint infection)
- ◆ Bacterial meningitis.

Dosage :

- ◆ As recommended by Veterinarian.

Presentation:

50 ml & 100 ml



LP-TAZO 4.5

Breaking the barrier of tough infection

Ceftriaxone & Tazobactam injection Vet.

Composition:

Each Vial contains:
Ceftriaxone Sodium I.P. equivalent to
Ceftriaxone 4000mg
Tazobactam Sodium U.S.P equivalent to
Tazobactam 500mg

Dosage :

- ◆ As recommended by Veterinarian.

Indications:

- GI tract infections, urogenital tract infections, Reproductive tract infections
- Bacterial meningitis, surgical prophylaxis
- Skin & soft tissue infections

Presentation:

4.5 gm



L-CAL STRONG

Vitamin Calcium Supplement

Superrrrrrrr

से उपर

Composition:

Each 100 ml. L-CAL STRONG Contains:

Calcium	: 3500 mg	Cobalt	: 50 mg
Phosphorus	: 1750 mg	Chelated Copper	: 100 mg
Vitamin D3	: 30000 I.U.	Potassium Iodide	: 500 mg
Vitamin B12	: 1000 mcg	Bioactive Chromium	: 100 mg
Carbohydrates	: 40%	Jivanti	: 100 mg
Chelated Zinc	: 500 mg	Satavari	: 100 mg

Direction for use:

- Poultry per 100 birds:
- ◆ Chicks: 20 ml daily
 - ◆ Grower/Broiler 50 ml daily
 - ◆ Layers: 100 ml daily
- As recommended by Veterinarian.

Presentation:

1 ltr. 2.5ltr, 5 ltr. & 20 ltr



Benefits:

- ◆ Ensure more milk, strong bones and cartilages.
- ◆ Improves production and lactating period in cattle.
- ◆ Better calcium absorption in the body for optimum milk production.
- ◆ Minimize the metabolic disorders
- ◆ Helps to improve overall development of animals

SELCARE - E

Vitamin Supplement

Composition:

Each gram Contains:

Vitamin E.....	100 mg
Selenium.....	1 mg
L- Lysine.....	8 mg
DL-Methionine.....	5 mg
L-Tryptophan.....	200 mcg
Aloe Vera.....	200 mcg

Direction for use:

For 100 birds:

- ◆ Chick: 5 gm
 - ◆ Broiler: 7 gm
 - ◆ Feed : 300 gm / ton
 - ◆ Layers: 7-10 gm
- Through drinking water for 7-10 days every month or as recommended by Veterinarian.

Presentation:

200 gm & 500 gm

Benefits:

- ◆ Potentiates immune mechanism
- ◆ Builds resistance to infection
- ◆ Helps to improve growth, maintains healthy skin & better hatchability.
- ◆ Prevent White Muscle Disease
- ◆ Encephalomalacia & Exudative Diathesis



LP Tone-H

Water Miscible Vitamin H Tonic

Multi Vitamin Supplement of Vitamin A, D3, E, H & B12 For Poultry

Composition:

Each ml. contains

Vitamin H	25 mcg
Vitamin A	20,000 I.U.
Vitamin D3	10,000 I.U.
Vitamin E	50 mg
Selenium	6 mcg
Vitamin B12	2 mcg
Excipients	qs.
Purified Water	qs.

Appropriate overage of vitamins are added.

Benefits of LP Tone-H:

1. Metabolism carbohydrates, fats & Amino acid
2. Helps to improve Egg production in poultry
3. Growth and performance vitamin & Supplements

Recommended Usage

Poultry : 7-8 ml birds daily

Presentation:

250 ml, 500 ml & 1 ltr,



LP-ZINC 24%

Glycine Chelated Zinc Supplement

When situation Demands "DIFFERENT"

Composition:

Each 100gm

Zn (Zinc Chelated of Glycine Hydrate) 24%

Dosage:

◆ Broiler Chicken : 100 to 200 gm per ton of feed

◆ Layer Chicken : 100 tp 200 gm per ton of feed

As directed by Veterinarian.

Benefits:

- ◆ Antioxidation growth & Development
- ◆ Production
- ◆ Immunity & Stress related issues
- ◆ Enzyme function & Protein metabolism
- ◆ Reproduction. Cell division, Immune function, Wound healing

Presentation:

1 Kg



LIV- S-135

Liver tonic with silymarin

Vital Liver care

Composition:

Each 30 ml. Contains:

Ferrous Gluconate	200 mg
Ferrous Chloride	80 mg
Nicotinic Acid	20 mg
Nocotinamide	45 mg
Thiamine Hydrochloride	5 mg
Roboflavin	5 mg
Calcium Lactate	300 mg
Silymarin	135 mg
Liver Function 2	150 mg
(Derived from 3.75 gm of Fresh Liver)	

Benefits:

- ◆ Helps liver in transformation of drugs & toxins & protects liver from food and water related toxins and contaminants.
- ◆ Helps liver protein synthesis and helps in better growth
- ◆ Improves liver metabolism and provides with better feed utilization
- ◆ Helps in better calcium absorption for better bone formation
- ◆ Helps to counter the hepatic damage due to deforming agents

Dosage & Administration:

- ◆ Per day and per 1000 birds - 40 to 70 ml
- ◆ As recommended by Veterinarian.

Presentation:

500 ml, 1 ltr, 2.5 ltr & 5 ltr



COLIXINA- 20%

The Super Power Solution for E-coli

Composition :

Each gm contains:

Cotistin Sulphate	-200 mg
(Equivalent to Colistin Fortified with Vitamins)	
Enriched with Vitamin B1220 mcg
Dextrose800 mg
CarrierQ.S

Benefits:

- Promotes Growth Increases feed utilization.
- Antibacterial activity against Gram Negative Bacteria.
- Prevention of infections caused by Gram Negative organisms, E-coli, Salmonella, Pseudomonas.
- Prevention of bacterial diarrhoea / enterocolitis
- Improves F.C.R. and weight gain
- Vitamin B12 helps in improving symbiosis.

Dosage & Administration:

- For Prevention: 20-40gm / ton of feed
- During Infection: 50 gm / ton of feed
- 1 gm in 10-15 Liters of water for 3 to 5 days or
- As Directed by Veterinarian.

Presentation:

200 gm



Glycine-Chelated

RCMIN GOLD

Minerals & Vitamins For Poultry Feed

Nutritional Value Per Kg.

Vitamin A Acetate, Vitamin D3, Vitamin E Acetate, Nicotinamide, Copper Glycine, Cobalt Glycine, Magnesium Sulphate, Ferrous Glycine, Manganese Glycine, Sulphur, Chromium Glycine, Potassium Iodine, Calcium, Phosphorus, Selenium Dioxide, Protein Hydrolysate, Asparagus Racemosus, Leptadenia Reticulata, Jatamasi Lactobacillus spp.

Benefits:

- ◆ Rcmn Gold improves feed conversion, weight gain & reduce mortality in Birds.
- ◆ It Plays an essential role in the metabolism and prevention of leg weakness
- ◆ Helpful in better egg production, eggshell thickness, egg yolk colour and overall quality of egg.
- ◆ It is also helpful for maintaining the performance and immune function of stressed Birds.
- ◆ Useful in proper absorption and utilization of calcium and phosphorus

Recommendation :

Dosage- For Poultry
Mix 500 gm to 1 kg per Ton of Feed
It should be used regularly or
As recommended by the Veterinarian.

Presentation:

25 kg



BIOMAC - 25Kg

Animal feed supplement
not for human consumption

BIOMAC is a mineral pack for muminants

Ingredients:

Zinc proteinate, Manganese proteinate, Copper proteinate, Ethylenediamine dihydroiodide (EDOI), Selenium yeast, Chromium yeast, Brewers dried yeast

Add BIOMAC at a 0.8 kg - 1.5 kg per ton
As per recommendation from Nutritionist.

Guaranteed analysis

Zinc	8.0 %
Manganese	4.0 %
Copper	2.5 %
Iodine	0.4 %
Selenium	600 ppm
Chromium	400 ppm

Usage recommendation:

Presentation:
25 kg



Enzyme

एंजाइम

A well balanced multi enzyme & probiotics premix

New and Advance
Formula Enriched
with 12 Enzymes

Water soluble Powder

Composition:

Each 100 Powder Gram Contains:

Cellulase	: 20,000 IU	Lipase	: 20 IU
Xylanase	: 2,00,000 IU	Mannanase	: 600 IU
Beta-glucanase	: 7500 IU	Alpha-galactosidase	: 100 IU
Phytase	: 20 IU	Invertase	: 400 IU
Alpha-Amylase	: 40,000 IU	Hemicellulase	: 500 IU
Pectinacase	: 1400 IU	Saccharomyces spp.	: 1 billion CFU
Protease	: 20 IU	Lactobacillus spp.	: 1 Billion CFU

Benefits :

Reduce any kind of stress
Reduce wet. dropping & foul odor
Improve weight gain & production
Improve fcr & reduce feed cost
Enhance the digestibility of feed

Dosage & Administration :

0.51 gm per liter of drinking
water and 30-50 gm mixed
with per 100 kg feed.or
As directed by the registered
veterinarian.

Presentation:

100 gm, 500 gm & 25 kg



RCMIN PREMIX - 25Kg

Poultry & Feed Supplement
Vitamins Premix for Commercial layer

Content Per Kg

Vitamin A	50.0 MIU
Vitamin D3	14.0 MIU
Vitamin E	20.0 mg
Vitamin K3	6.0 mg
Vitamin B1	4.0 mg
Vitamin B2	24.0 mg
Vitamin B6	4.0 mg
Vitamin B12	28.0 mg
Biotin	50.0 mg
Pantothenic Acid	20.0 mg
Folic Acid	5.6 mcg
Nicotinic Acid	28.0 mg

Unique Features :

- RCMIN PREMIX is product to cater the requirement of layer obtaining optimum productivity.
- RCMIN PREMIX makes uniform distribution of Vitamins in feed.
- RCMIN PREMIX is manufactured at the state of the art facilities and most modern technology of mixing is used to make it a homogenous premix.
- The raw materials used are of best quality and individual vitamins are tested for purity before use.
- The finished product is again tested for homogeneity and assays of individual Vitamins done in premixes.
- To control samples are maintained after every batch is produced and self life of finished product is measured periodically to check quality.
- Charging sequence of Vitamins in mixer is properly done.
- Carriers are also chosen after thorough testing

Usage :

Routine use for supplementation of vitamin for commercial layer feed formation.

Dosage :

Mix 250g of RCMIN PREMIX per ton of feed

Presentation:

25 kg



MB - PLEX

Supplement of Amino Acid & Vitamin for poultry

Composition:

Each 5ml Contains:

Vitamin B1.....	7 mg
Vitamin B2.....	2.5 mg
Vitamin B6	1.0 mg
Vitamin B12.....	12.5 mcg
Biotin.....	25 mcg
Calcium Pantothenate.....	2.5 mg
Niacin.....	75. mg
Choline Chloride.....	10 mg
Methionine	10 mg
Lysine.....	20 mg

Benefits:

- ◆ Regular use stimulates natural immunity & Protects liver, kidney.
- ◆ It stimulates and brings back the vitality in birds.
- ◆ Improves overall growth and performance of bird.

Direction for use:

For 100 birds:

- ◆ **Chicks:** 5-6 ml/ 100 chicks
- ◆ **Grower/Broiler** 8-10 ml/ 100 birds
- ◆ **Layers:** 10-15 ml/ 100 birds

Presentation:

1 ltr. & 5 ltr.

Through drinking water for 7-10 days every month or as recommended by Veterinarian.



GROGOLD TONIC - 1LTR

Composition:

Each 1 ltr Grogold Tonic Contains:

Vitamin A.....	1,000,000 I.U.	Aspartic Acid.....	500 mg
Vitamin D3.....	2,000,000 I.U.	Threonine.....	680 mg
Vitamin E Acetate.....	8 g	Serine.....	1.16 g
Vitamin K3.....	5 g	Glutamic Acid.....	510 mg
Vitamin B12.....	10 g	Proline.....	575 mg
Pyridoxine HCl.....	2 g	Glycine.....	975 mg
Riboflavin - 5 - Phosphate.....	4 g	Alanine.....	150 mg
Thiamine HCl.....	3.5 g	Cysteine.....	1.1 g
D - Panthemo.....	15 g	Valine.....	1.5 g
Methionine.....	5 g	Leucine.....	125 mg
Choline	400 mg	Isoleucine.....	340 mg
Lysine.....	2.5 g	Tyrosine.....	810 mg
Histidine.....	900 mg	Phenylalanine.....	75 mg
Arginine.....	490 mg	Tryptophan.....	2 mg
Inositol.....	1.45 g	Biotin.....	2.5 mg

Indications:

- ◆ In case of acute and chronic deficiencies of Vitamins and amino acids.
- ◆ Providing essential elements for better growth, production and FCR.
- ◆ Different types of stress condition demanding production / deficiency states.
- ◆ Support the immune system and enhance immune response by increasing antibody production.
- ◆ For improvement in fertility, hatchability & liveability.

Direction for use:

Layers: 2 ml/1 ltr of drinking water for 5-7 days

Broiler: 1 ml/1 ltr of drinking water for 5-7 days

Presentation:

500 ml, 1 ltr, 5 ltr



Customer Believes us for GOOD QUALITY



LAXINA
PHARMA PRIVATE LIMITED
Sign of Trust

Head Office

10, Shubh Atika, Hatkesh Udyog Nagar, Mira Road (E) Thane- 401107.

Email: info@laxinapharma.com | Website: www.laxinapharma.com

Tel: +91 9702773035

